

QUERY CONTROL FORM		RTIS USE ONLY	
Application No. <u>09593629</u>	Prepared by <u>ewc</u>	Tracking Number <u>05871433</u>	
Examiner-GAU <u>Welbe</u>	Date <u>1/12/0</u>	Week Date <u>12-08-03</u>	
<u>1632</u>	No. of queries <u>- 1 -</u>	<u>FFW</u>	

JACKET			
a. Serial No.	f. Foreign Priority	k. Print Claim(s)	p. PTO-1449
b. Applicant(s)	g. Disclaimer	l. Print Fig.	q. PTOL-85b
c. Continuing Data	h. Microfiche Appendix	m. Searched Column	r. Abstract
d. PCT	i. Title	n. PTO-270/328	s. Sheets/Figs
e. Domestic Priority	j. Claims Allowed	o. PTO-892	t. Other

SPECIFICATION	MESSAGE
a. Page Missing	1) Claim 60 (original 23) depends upon
b. Text Continuity	cancelled claim 59.
c. Holes through Data	2) 892/1449 copies are illegible.
d. Other Missing Text	Please provide clean copies.
e. Illegible Text	see attached. Thank you
f. Duplicate Text	ewc
g. Brief Description	
h. Sequence Listing	
i. Appendix	
j. Amendments	
k. Other	
CLAIMS	
a. Claim(s) Missing	
b. Improper Dependency	
c. Duplicate Numbers	
d. Incorrect Numbering	
e. Index Disagrees	
f. Punctuation	
g. Amendments	
h. Bracketing	
i. Missing Text	
j. Duplicate Text	
k. Other	
	initials
	RESPONSE
	initials

Notice of References Cited

Application/Control No.

09/593 629

Applicant(s)/Patent Under
Reexamination
CAMERON ET AL

Examiner

Janice Li

Art Unit

1632

Page 1 of 1

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
	A	US-			
	B	US-			
	C	US-			
	D	US-			
	E	US-			
	F	US-			
	G	US-			
	H	US-			
	I	US-			
	J	US-			
	K	US-			
	L	US-			
	M	US-			

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	O					
	P					
	Q					
	R					
	S					
	T					

NON-PATENT DOCUMENTS

*		include as applicable: Author, Title, Date, Publisher, Edition or Volume, Pertinent Pages.
	U	Willing et al. Sertoli cell transplants: their use in the treatment of neurodegenerative disease No. 1998 pp. 474-477
	V	Forbuit Testicular sertoli cells exert both protective and destructive effects on syngeneic islet grafts in non-obese diabetic mice 2000 pp. 474-480
	W	
	X	

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a)).
Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

RECEIVED

Form PTO-1449 INFORMATION DISCLOSURE CITATION IN AN APPLICATION (Use several sheets if necessary)	Docket Number (Optional) 0152,00372	Application Number 09/593,629
	Applicant Don F. Cameron, et al	
	Filing Date 05/13/00	Or sup Art Unit 1633

U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
U	5,843,430	12/1/98	Selawry			
	5,958,404	02/28/99	Selawry			
	5,849,285	12/15/98	Selawry			
	5,759,534	02/01/99	Selawry			
	5,725,954	11/17/97	Selawry			

FOREIGN PATENT DOCUMENTS

	DOCKET NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO

OTHER DOCUMENTS (including Author, Title, Date Pertinent Pages, Etc.)

	Alderson, D. et al (1987): The Isolation of Purified Human Islets of Langerhans. <i>Transplant Proc.</i> 19:916-917
	Alison E. et al (1998): Sertoli cell transplants: their use in the treatment of neurodegenerative disease. <i>Mol. Med. Today</i> , 4:471-477
	Bardin, C.W. et al (1988): The Sertoli Cell. In: <i>The Physiology of Reproduction</i> . Knobil, E. and J. Neil (eds). Raven Press, Ltd., New York. Pp 933-974.
	Barker, C.F. et al (1968): The Role of Afferent Lymphocytes in the Rejection of Skin Homografts. <i>J. Exp. Med</i> 128:197-221
	Becker, J.L. et al (1993): Three-Dimensional Growth and Differentiation of Ovarian Tumor Cell Line in High Aspect Rotating-Wal Vessel: Morphologic and Embryologic Considerations. <i>J. Cellul. Biochem.</i> 51:283-289
	Beligra, D. et al (1995): A role for CD95 Ligand in Preventing Graft Rejection. <i>Nature</i> , 377:630-632
	Borlongan, C.V. et al (1996): Functional recovery in female hemiparkinsonian rats following transplantation of Sertoli cells. <i>Proc. Am. Soc. Neur. Transp.</i>
	Borlongan, C.V. et al (1997): Intracerebral transplantation of testis-derived Sertoli cells in female rats with 6-hydroxydopamine induced hemiparkinsonian promotes functional recovery. <i>Exp. Neurol.</i> 148:388-392
	Born, W. and H. Wekerle (1982): Leydig Cells Nonspecifically Suppress Lymphoproliferation In Vitro: Implications for the Testis as an Immunologically Privileged Site. <i>Am. J. Reprod. Immunol.</i> 2:291-295
	Born, W. et al (1981): Selective, Immunologically Nonspecific Adherence of Lymphoid Cells and Myeloid Cells to Leydig Cells. <i>Eur. J. Cell Biol.</i> 25:76-81
	Calafiore, R. et al (1990): A Method for the Massive Separation of Highly Purified, Adult Provine Islets of Langerhans. <i>Metabolism</i> , 39:175-181
	Cameron, D.F. et al (1990): Successful Islet/Abdominal Testis Transplantation Does Not Require Leydig Cells. <i>Transplantation</i> , 50:849-853
	Cameron, D.F. et al (1990): Sustained Hyperglycemia Results in Testicular Dysfunction and Reduced Fertility Potential in BBWOR Diabetic Rats. <i>J. Physiol.</i> 259 (Endocrinol. Metab., 22): F881-F889
	Cameron, D.F. et al (1991): Hormonal Regulation of Spermatid Binding to Sertoli cells In Vitro. <i>J. Cell Sci.</i> 100:623-633
	Cameron, D.F. et al (1993): Testosterone Stimulates Spermatid Binding to Competent Sertoli cells In Vitro. <i>Endocrinol.</i> 131:61-65

E. J. ...

4/12/02

	Cameron, D.F. et al. (1997). Enhanced post-thaw viability of cryopreserved rat fetal brain cells by Sertoli cells by Sertoli cell Secretory products. <i>Proc. Am. Soc. Neural Transpl.</i>
	Cameron, D.F. et al. (1997). Post-thaw viability and functionality of cry-preserved rat fetal brain cells co-cultured with Sertoli cells. <i>Cell Transplant.</i> 6:185-189.
	Cameron, D.F. et al. (1998). Development of Sertoli cell binding competence in the peripubertal rat. <i>J. Androl.</i> 19:573-579.
	Cantrill, D.A. et al. (1984). The Interleukin-2 T-Cell system: A New Cell Growth Model. <i>Science</i> 224:1312-1316.
	Chervonsky, A.V. et al. (1997). The role of Fas in autoimmune diabetes. <i>Cell</i> 89:17.
	DeCesars, A. et al. (1992). Inhibition of Lymphocyte Activation by Sertoli Cell Immunosuppressive Factors. <i>Immunology & Immunopathology</i> 12:2-86.
	Edgington, S.M. (1992). New Horizons for Stem-Cell Bioreactors. <i>BioTechnology</i> 10:1099-1106.
	Evans M.G. et al. (1990). Reversal of Diabetes in Dogs by Transplantation of Pure cryopreserved Islets. <i>Transplantation</i> 50:202-206.
	Fawcett, D.W. et al. (1973). Comparative Observation on Intertubular Lymphatics and the Organization of the Interstitial Tissue of the Mammalian Testis. <i>Biol. Reprod.</i> 9:500-512.
	Gamer, A.L. et al. (1998). Improved survival of biolistically transected mouse islet allografts expressing CTLA4-Ig or soluble Fas ligand. <i>Transplantation</i> 66:194-9.
	Gondos, B. et al. (1993). Postnatal and Pubertal Development. In: <u>The Sertoli Cell</u> , 1993. Russell L.D. Griswold MD (eds). Cache River Press, Clearwater, Florida, pp 493-508.
	Goodwin, T.J. et al. (1992). Morphologic Differentiation of Colon Carcinoma Cell Lines HT-29 and HT-29KM in Rotating Wall Vessels. <i>In Vitro Cell Dev. Biol.</i> 28A:47-60.
	Goodwin, T.J. et al. (1993). Reduced Shear Stress: A Major Component in the Ability of Mammalian Tissues to Form Three-Dimensional Assemblies in Stimulated Microgravity. <i>J. Cellul. Biochem.</i> 51:301-311.
	Goodwin, T.J. et al. (1992). Rotating-Wall Vessel Coculture of Small Intestine as a Prelude to Tissue Modeling: Aspects of Stimulated Microgravity. <i>Proceed Experiment. Biol. Med.</i> 202:181-192.
	Gray, D.W.R. et al. (1984). A Method for the Isolation of Islets of Langerhans from the Human Pancreas. <i>Diabetes</i> 33:1055-1061.
	Green, C.J. et al. (1978). Extensive Prolongation of Rabbit Kidney Allograft Survival after Short-Term Cyclosporin-A Treatment. <i>Lancet</i> 1:1182-1183.
	Griswold MD. Actions of FSH on mammalian Sertoli cells. In: <u>The Sertoli Cell</u> , 1993. Russell L.D. Griswold MD (eds). Cache River Press, Clearwater, Florida, pp 493-508.
	Hadley, M. et al. (1985). Extracellular matrix regulates Sertoli cell differentiation, testis cord formation and germ cell development in vitro. <i>J. Cell Biol.</i> 101:1511-22.
	Head, J. et al. (1983). Immune Privilege in the Testis. I. Basic Parameters of Allograft Survival. <i>Transplantation</i> 36:423-431.
	Head, J. et al. (1983). Reconsideration of the Lymphatic Drainage of the Rat Testis. <i>Transplantation</i> 35:91-95.
	Hedger, M.P. (1989). The Testis as an "Immunologically Suppressed" Tissue? <i>Reprod. Fertil. Dev.</i> 1:75-81.
	Hess, A.D. (1985). Effect of Interleukin 2 on the Immunosuppressive Action of Cyclosporine. <i>Transplantation</i> 39:62-68.
	Homan, W.P. et al. (1980). Studies on the Immunosuppressive Properties of cyclosporin A in Rats Receiving renal Allografts. <i>Transplantation</i> 29:361-366.
	Horaguchi, A. and R.C. Merrell (1981). Preparation of Viable Islet Cells from Dogs by a New Method. <i>Diabetes</i> 30:455-458.
	Kang, S.M. et al. (1997). Fas ligand expression in islets of Langerhans does not confer immune privilege and instead targets them for rapid destruction. <i>Nature Med.</i> 3:738.
	Kaufman, D.B. et al. (1990). Functional Outcome as Influenced by Islet Number and Implantation Site. <i>Transplantation</i> 50:385-391.
	Kneteman, N.M. et al. (1986). Isolation and Cryopreservation of Human Pancreatic Islets. <i>Transplant. Proc.</i> 18:182-185.
	Kneteman, N.M. et al. (1990). Prolonged Function of Canine Fragments Autotransplanted to the Spleen by Venous Reflux. <i>Transplantation</i> 49:679-681.
	Kuhn F. et al. (1985). Morphological Investigations in Human Islets of Langerhans Isolated by the Vetro Technique. <i>Biochem. Biophys. Acta</i> 44:149-153.
	Lai, H. et al. (1996). Prevention of islet allograft rejection with engineered myoblasts expressing FasL in mice. <i>Science</i> 273:109.
	Leopman, S.B. et al. (1981). Differential Effects of Cyclosporine A on Lymphocyte Subpopulations. <i>Transplant. Proc.</i> 13:405-409.
	London, N.L.M. et al. (1990). A Simple Method for the Release of Islets by Controlled Digestion of the Human Pancreas. <i>Transplantation</i> 49:1109-1113.
	Marin, D.C. (1982). Malignancy in the Cryptorchid Testis. <i>Urol. Clin. N. Amer.</i> 9:371-376.
	Munive, D. et al. (1997). Adenovirus-mediated expression of Fas ligand induces hepatic apoptosis after systemic administration and apoptosis of ex vivo-infected pancreatic islet allografts and isografts. <i>Human Gene Ther.</i> 8:955.

E. J. ...

4/12/97

	Nan, A. et al (1981). Prevention of Diabetes in Rats by Bone Marrow Transplantation. <i>Ann. Surg.</i> 194:328-335.
	Ogasawara, I. et al (1993). Lethal effect of the anti Fas antibody in mice. <i>Nature</i> 364:806.
	Ohlberg, A.L. et al (1998). Preparation of cell suspension for co-transplantation: methodological considerations. <i>Neurosci. Lett.</i> 247:111-114.
17 2003	Ohlberg, A.L. et al (1998). Trophic effect of porcine Sertoli cells on rat and human ventral mesencephalic cells and hNT neurons in vitro. <i>Cell Transplant.</i> 7:157-164.
	Prowse, S.J. et al (1986). Islet Allografts are Destroyed by Disease Occurrence in the Spontaneously Diabetic BB Rat. <i>Diabetes</i> 35:110-118.
	Ricordi, C. et al (1989). Automated Islet Isolation from Human Pancreas. <i>Diabetes</i> 38 (Suppl. 1):140-142.
	Ricordi, C. et al (1999). Isolation of the Rat Pig Islet. <i>Surgery</i> 107:688-694.
	Sanberg, P.R. et al (1996). New horizons in xenograft cross-species transplantation for neurodegenerative disease. <i>Proc. Internat. Behav. Neurosci. Soc.</i>
	Sanberg, P.R. et al (1995). The effects of Sertoli cell co-transplantation with chromaffin cells in the rat model of Parkinson's disease. <i>Nature's Letters</i> . In review.
	Sanberg, P.R. et al (1996). Testis-derived Sertoli cells survive and provide localized immunoprotection for xenografts in rat brain. <i>Nature Biotechnol.</i> 14:1692-5.
	Sanberg, P.R. et al (1996). Transplantation of testis-derived Sertoli cells into the Mammalian brain. <i>Third Internat. Cong. Cell Transpl. Soc.</i>
	Sanberg, P.R. et al (1997). Testis-derived cultured Sertoli cell as a natural FasL secreting cell for immunosuppressive cellular therapy. <i>Cell Transplant.</i> 191-193.
	Sanberg, P.R. et al (1997). Testis-derived Sertoli cells have a trophic effect on dopamine neurons and alleviate hemiparkinsonian in rats. <i>Nature Medicine</i> 3:1129-1132.
	Scharp, D.W. (1988). The Elusive Human Islet: Variables Involved in its Effective Recovery. In: VanSchilgaard R. Hardy M.A. eds. <i>Transplantation of the Endocrine Pancreas in Diabetes Mellitus</i> . Amsterdam Elsevier, page 97.
	Scharp, D.W. et al (1987). Low-Temperature Culture of Human Islets Isolated by the Distention Method and Purified with Ficoll or Percoll Gradients. <i>Surgery</i> 102:869-879.
	Schwarz, R.P. et al (1992). Cell Culture for Three-Dimensional Modeling in Rotating-Wall Vessels: An Application of Stimulated Microgravity. <i>J. Tiss. Cult. Meth.</i> 14:51-58.
	Selawry, H. et al (1993). Sertoli Cell-Enriched Fractions in Successful Islet Cell Transplantation. <i>Cell Transplantation</i> 2:123-129.
	Selawry, H. et al (1993). Sertoli Cell-Enriched Fractions in Successful Islet Cell Transplantation. <i>Cell Transplantation</i> 2:123-129.
	Selawry, H. et al (1986). Effect of Cyclosporine on Islet Xenograft Survival in the BB/W Rat. <i>Transplantation</i> 42:568-575.
	Selawry, H. et al (1987). Extended Survival of the MHC-Compatible Islet Isografts in the Spontaneously Diabetic BB/W Rat. <i>Diabetes</i> 36:1061-1070.
	Selawry, H. et al. Production of a Factor, or Factors, Suppressing H-2 Production and T cell Proliferation by Sertoli Cell-Enriched preparations. <i>Transplantation</i> 52:846-850.
	Selawry, H.P. et al (1989). Abdominal, Intratesticular Islet Xenograft Survival in Rat. <i>Diabetes</i> 38:220-223.
	Selawry, H.P. et al (1996). Sertoli Cell-induced Effects on Functional and Structural Characteristics of Isolated Neonatal Porcine Islets. <i>Cell Transplantation</i> 5:517-24.
	Selawry, H.R. et al (1985). Intratesticular Islet Allografts in the Spontaneously Diabetic BB/W Rat. <i>Diabetes</i> 34:1019-1023.
	Skinner, M.K. (1993). Secretion of Growth Factors and Other Regulatory Factors. In: <i>The Sertoli Cell</i> , 1993. Russell L.D. Griswold MD (eds). Cache River Press, Clearwater, Florida. pp 493-508.
	Tanaka, M. et al (1997). Lethal effect of recombinant human Fas ligand in mice pretreated with Propionibacterium. <i>J. Immunol.</i> 158:2403.
	Thompson, S.C. et al (1990). Preparation and Assessment of Tissue for Transplantation and its In Vivo Development in Athymic (Nude Mice). <i>Transplantation</i> 49:571-581.
	Warnock, G.L. et al (1988). Studies of the Isolation and Viability of Human Islets of Langerhans. <i>Transplantation</i> 45:957-963.
	Warnock, G.L. et al (1989). Viable Purified Islets from Collagenase-Perfused Human Pancreas. <i>Diabetes</i> 38 (Suppl. 1):136-139.
	Weninger, E.J. et al (1985). Immune Attack on Pancreatic Islet Transplants in the Spontaneously Diabetic, BioBreeding-Worcester (BB/W) Rat is not MHC Restricted. <i>J. Immunol.</i> 134:2383-2391.
	Whitmore, W.F. et al (1978). Intratesticular Grafts: The Testis as an Exceptionally Immunologically Privileged Site. <i>Trans. Am. Assoc. Gen. Urology Surg.</i> 70:76-80.
	Wickelgren, I. (1996). Muscling Transplants into Mice. <i>Science</i> 273:33.
	Williams, H.J.H., P. Barkham, and N.G.P. Slater (1978). Testicular Relapse in Acute Leukemia. <i>Lancet</i> 2:1152-1156.

	Willing, A.F. et al (1998). Sertoli transplants to treat neurodegenerative disease. <i>Mol. Med. Today</i> , 1471-477.	
	Willing, A.F. et al (1999). Sertoli cells decrease microglia response and increase engraftment of human hNT neurons in the hemiparkinsonian rat striatum. <i>Brain Res. Bull.</i> , 48: 441-444.	
	Willing, A.F. et al (1999). Sertoli cells enhance the survival of co-transplanted dopamine neurons. <i>Brain Research</i> , 822: 246-250.	
	Yagita, H. et al (1996). CD95 ligand in graft rejection. <i>Nature</i> , 379: 682.	
EXAMINER	<i>C. John</i>	DATE CONSIDERED <i>4/12/00</i>
EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.		

PTO/SB-08 (2-92)
COMMERCE

Patent and Trademark Office, U.S. DEPARTMENT OF